ROYAL BOTANIC GARDENS, KEW.

BULLETIN

OF

MISCELLANEOUS INFORMATION.

APPENDIX I.—1911.

LIST OF SEEDS OF HARDY HERBACEOUS PLANTS AND OF TREES AND SHRUBS.

The following is a select list of seeds of Hardy Herbaceous Plants and of Hardy Trees and Shrubs which, for the most part, have ripened at Kew during the year 1910. These seeds are available only for exchange with Botanic Gardens, as well as with regular correspondents of Kew. No application, except from remote colonial possessions, can be entertained after the end of February.

HERBACEOUS PLANTS.

Acaena adscendens.
macrostemon.
microphylla.
myriophylla.
Novae-Zealandiae.
ovalifolia.

Acanthus Perringi.

Achillea Ageratum.
grandiflora.
lingulata.
macrophylla.

Aconitum eminens.
Kusnezoffi.
moldavicum.
uncinatum.
variegatum.
vulparia.

Actaea spicata.
— var. rubra.

Adenophora denticulata.
Potanini.
stylosa.

Adenostyles viridis.

Adesmia muricata.

Adonis vernalis.
Wabyiana.

Aethionema cappadocicum.

Agrimonia odorata.
repens.

Agropyron acutum.
tenerum.
villosum.

(18014—6a.) Wt 92—428. 1375. 11/10. D & S.

Agrostis alba.
elegans.
nebulosa.

Allium ciliare.
giganteum.
Kesselringii.
margaritaceum.
narcissiflorum.
neapolitanum.
odorum.
polyphyllum.
pulchellum.
siculum.
Suworowi.
Tubergeni.
Victorialis.
zebdanense.

Alonsoa albiflora.

Alstroemeria aurantiaca.

Althaea armeniaca.
ficifolia.
pallida.
pontica.
rosea.
sulphurea.

Alyssum argenteum.
creticum.
gemonense.
incanum.

Amaranthus caudatus.
Dussii.
hypochondriacus.
polygamus.
retroflexus.
speciosus.

Amethystea caerulea.

Anacyclus officinarum.
radiatus.

Anchusa italica.

Andryala integrifolia.

Anemone alpina.
baldensis.
cylindrica.
elongata.
multifida.
pratensis.
rivularis.
sylvestris.

Angelica dahurica.

Anthemis montana.
tinctoria.

Anthericum Liliago.

Antirrhinum Asarina.
Orontium.

Apera interrupta.
Spica-Venti.

Aplopappus croceus.
Parryi.

Aquilegia canadensis.
chrysantha.
glandulosa.
olympica.
truncata.

Arabis alpina.
arenosa.
pumila.
serpyllifolia.
verna.

Arctium nemorosum.

Arctotis stoechadifolia.

Arenaria cephalotes.
graminifolia.
grandiflora.
gypsophiloides.

Argemone hispida.
mexicana.
ochroleuca.
platyceras.

Armeria canescens.
majellensis.
plantaginea.

Arnica amplexicaulis.
Chamissonis.
foliosa.
longifolia.
montana.
sachalinensis.

Artemisia rupestris.

Asperula azurea.
ciliata.
galioides.

Asphodeline lutea.

Asphodelus albus.

Aster alpinus.
foliaceus.
radula.

Astilbe chinensis.
Davidii.
grandis.
rivularis.

Astragalus alopecuroides.
boeticus.
chinensis.
chlorostachys.
frigidus.
hamosus.
pentaglottis.
xiphocarpus.

Astrantia Biebersteinii.
carniolica.

Atriplex rosea.
sibirica.

Atropa Belladonna.

Baeria coronaria.

Baptisia australis.

Barbarea stricta.

Beckmannia erucaeformis.

Belamcanda punctata.

Beta Bourgaei.
trigyna.

Bidens leucantha.
tripartita.

Biscutella ciliata.
didyma.

Blumenbachia insignis.
muralis.

Bocconia microcarpa.

Boltonia asteroides.

Brachycome iberidifolia.

Brachypodium caespitosum.
japonicum.

Brassica alba.
campestris.
— var. chinensis.
Erucastrum.
rugosa.
Tourneforti.

Briza maxima.
minor.

Bromus adoënsis.
breviaristatus.
ciliatus.
commutatus.
japonicus.
macrostachys.
madritensis.
marginatus.
maximus.
polyanthus.
Porteri.
Richardsoni.
secalinus.
squarrosus.
Trinii.
unioloides.

Bulbinella Hookeri.

Buphthalmum salicifolium.

Bupleurum Candollei.
glaucum.
longifolium.
ranunculoides.
rotundifolium.
sachalinense.

Cakile maritima.

Calamagrostis confinis.

Calandrinia pilosiuscula.
umbellata.

Calceolaria mexicana.
polyrrhiza.

Callistephus hortensis.

Calystegia sepium var. dahurica.

Camassia Cusickii.
esculenta.
Leichtlinii.

Camelina sativa.

Campanula alliariaefolia.
barbata.
bononiensis.
lactiflora.
latifolia.
latiloba.
longistyla.
Raddeana.
ramosissima.
rhomboidalis.
Scheuchzeri.
spicata.
velutina.

Capsella grandiflora.
Heegeri.

Carbenia benedicta.

Carduus cernuus.
Kerneri.
tenuiflorus.

Carex arctata.
crinita.
Grayii.
pendula.

Carrichtera Vella.

Carthamus lanatus.

Carum copticum.

Celmisia holosericea.

Celsia orientalis.
pontica.

Centaurea atropurpurea.
cynaroides.
dealbata.
montana.
pulchra.
salmantica.

Cephalaria alpina.
syriaca.

Cerastium Biebersteinii.
perfoliatum.
tomentosum.

Chaerophyllum aromaticum.
nodosum.

Charieis heterophylla.

Chelidonium Franchetianum.

Chelone Lyoni.
obliqua.

Chenopodium Bonus-Henricus.
capitatum.
Quinoa.

Chorispora tenella.

Chrysanthemum anserinaefolium.
carinatum.
cinerariaefolium.
coronarium.
corymbosum.
viscosum.

Chrysogonum virginianum.

Chrysopogon Gryllus.

Cicer arietinum.
pinnatifidum.

Cimicifuga cordifolia.
foetida.
racemosa.

Cladanthus proliferus.

Cladium Mariscus.

Clarkia elegans.
pulchella.

Clematis diversifolia.
Douglasii.

Cleome violacea.

Clintonia borealis.
umbellata.

Clypeola Jouthlaspi.

Cnicus arachnoideus.
heterophyllus.
syriacus.

Cochlearia glastifolia.
saxatilis.

Codonopsis ovata.

Collinsia bartsiaefolia.
bicolor.
verna.

Collomia coccinea.
gilioides.
grandiflora.

Commelina coelestis.

Conringia orientalis.

Convolvulus farinosus.
tricolor.
undulatus.

Coreopsis auriculata.
Drummondi.
tinctoria.

Coriandrum sativum.

Coronilla elegans.

Corydalis capnoides.
cheilanthifolia.
racemosa.
rosea.
vesicaria.

Craspedia uniflora.

Crepis grandiflora.
rubra.
sibirica.

Crocus asturicus.
aureus.
biflorus.
hadriaticus.
Imperati.
longiflorus.
medius.
nudiflorus.
pulchellus.
reticulatus.
Sieberi.
speciosus.

Crucianella aegyptiaca.

Crypsis aculeata.

Cucumis metulliferus.

Cuminum Cyminum.

Cuphea Zimapani.

Cyananthus linifolius.

Cynosurus echinatus.

Cypripedium Calceolus.

Dahlia coccinea.

Datura inermis.
Tatula.

Delphinium Brunonianum.
cashmirianum.
consolida.
decorum.
dyctiocarpum.
elatum.
formosum.
Geyeri.
grandiflorum.
Maackianum.
occidentale.
speciosum.
— var. glabratum.
trolliifolium.

Demazeria sicula.

Deschampsia caespitosa

Desmodium canadense.

Deyeuxia Langsdorfii.

Dianthus arenarius.
Armeria.
caesius.
capitatus.
Caryophyllus.
deltoides.
hirtus.
neglectus.
pungens.
Requienii.
Seguieri.
squarrosus.
superbus.
sylvestris.
tener.
Waldsteini.

Dimorphotheca aurantiaca.
pluvialis.

Diplotaxis muralis.

Dipsacus asper.
atratus.
inermis.
laciniatus.
pilosus.

Dodecatheon frigidum.
Meadia.

Dorycnium herbaceum.
rectum.

Downingia elegans.

Draba aizoides.
alpina.
Athoa.
carinthiaca.
cuspidata.
frigida.
hirta.
incana.
stellata.

Dryas octopetala.

Dulichium spathaceum.

Ecballium Elaterium.

Echinodorus ranunculoides.

Echinops sphaerocephalus.

Elsholtzia cristata.

Elymus canadensis.
Caput-Medusae.

Emilia flammea.

Encelia calva.

Epilobium Dodonaei.
linnaeoides.
luteum.

Eranthis cilicica.

Erigeron alpinus.
flagellaris.
glabellus.
macranthus.
neo-mexicanus.
philadelphicus.

Erinus alpinus.

Eriophorum latifolium.

Erodium Botrys.
Manescavi.

Eruca sativa.

Eryngium agavifolium.
alpinum.
Bourgati.
bromeliaefolium
ebracteatum.
giganteum.
maritimum.
planum.
spinalba.
Zabelii.

Erysimum ochroleucum.
Perofskianum.

Eschscholzia caespitosa.
Douglasii.

Eucharidium concinnum.

Eupatorium ageratoides.
perfoliatum.

Euphorbia Kotschyana.
Wulfeni.

Fedia Cornucopiae.

Felicia fragilis.

Ferula communis var. glauca
thyrsiflora.

Festuca bromoides.
Halleri.
rigida.
tenella.

Foeniculum dulce.
virescens.

Fragaria Daltoniana.

Fritillaria acutiloba
askabadensis.
citrina.
conica.
Meleagris.

Gaillardia amblyodon.
aristata.

Galactites tomentosa.

Galega orientalis.
patula.

Galeopsis Tetrahit.

Galium thymifolium.

Gastridium australe.

Gentiana asclepiadea.
crassicaulis.
Cruciata.
decumbens.
Freyniana.
phlogifolia.
Przewalskii.
robusta.
septemfida.
straminea.
tibetica.
Walujewi.

Geranium albiflorum.
Endressi.
grandiflorum.
ibericum.
incisum.
polyanthes.
tuberosum.
Wallichianum.

Gerbera Anandria.
Bellidiastrum.
nivea.

Geum elatum.
Heldreichii.

Gilia achilleaefolia.
androsacea.
— var. alba.
capitata.
densiflora.
liniflora.
micrantha.
squarrosa.
tricolor.

Gillenia trifoliata.

Glaucium corniculatum.
flavum.
— var. fulvum.
— var. tricolor.

Gypsophila acutifolia.
elegans.
paniculata.
viscosa.

Hastingsia alba.

Hebenstretia tenuifolia.

Hedysarum esculentum.
neglectum.

Helianthemum ledifolium.
salicifolium.
Tuberaria.

Helianthus Nuttallii.
occidentalis.

Helichrysum bracteatum.
foetidum.

Heliophila amplexicaulis.
crithmifolia.

Helipterum corymbosum.
Manglesii.
roseum.

Heloniopis japonica.

Hemerocallis flava.

Herniaria glabra.
hirsuta.

Hesperis matronalis.

Heuchera Drummondi.
glabra.

Hieracium alpinum.
amplexicaule.
aurantiacum.
Auricula.
Eriophorum.
Heldreichii.
lanatum.
pannosum.
villosum.

Hilaria rigida.

Hordeum bulbosum.
crinitum.

Horminum pyrenaicum.

Hyacinthus amethystinus.
azureus.

Hydrophyllum virginicum.

Hymenophysa pubescens.

Hyoscyamus albus.

Hypecoum grandiflorum.
procumbens.

Hypericum chinense.
coris.
hirsutum.
polyphyllum.

Hypochaeris maculata.

Iberis Amara.
pinnata.

Impatiens scabrida.

Incarvillea Delavayi.

Inula britannica.
ensifolia.
racemosa.
thapsoides.

Iris bracteata.
Douglasiana.
graminea.
Hookeri.
laevigata.
longipetala.
setosa.
tectorum.

Isatis Boissieriana.
Villarsii.

Isopyrum fumarioides.

Jasione perennis.

Jasonia tuberosa.

Juncus alpinus.
Chamissonis.

Jurinea cyanoides.

Kochia scoparia.

Koeleria albescens.
phleoides.

Lactuca Bourgaei.
hastata.
macrophylla.

Lagascea mollis.

Lagurus ovatus.

Lallemantia canescens
iberica.

Lathyrus angulatus.
Aphaca.
articulatus.
Clymenum.
luteus.
maritimus.
montanus.
Nissolia.
Ochrus.
pisiformis.
polyanthus.
sativus.
setifolius.
tingitanus.
undulatus.
variegatus.

Lavatera cachemiriana.
trimestris.

Layia elegans.

Lepidium Smithii.

Leptosyne maritima.

Leuzea conifera.
longifolia.

Liatris spicata.

Ligusticum pyrenaicum.

Lilium croceum.
giganteum.
Martagon.
tenuifolium.

Limnanthes alba.
Douglasii.

Linaria anticaria.
bipartita.
dalmatica.
heterophylla.
maroccana.
melanantha.
multipunctata.
reticulata.
saxatilis.
tristis.
viscida.

Lindelofia spectabilis.

Lindheimera texana.

Linum grandiflorum.
monogynum.
nervosum.
usitatissimum.

Loasa hispida.
vulcanica.

Lobelia sessilifolia.
syphilitica.

Lotus Tetragonolobus.

Lunaria biennis.
rediviva.

Lupinus affinis.
angustifolius.
arboreus.
Douglasii.
elegans.
Hartwegii.
linifolius.
Menziesii.
micranthus.
pubescens.
reticulatus.

Luzula albida.
lutea.
nivea.

Lychnis alpina.
chalcedonica.
Coeli-rosa.
coronaria.
Flos-jovis.
Haageana.
Preslii.

Lycurus phleoides.

Lysimachia punctata.

Madia dissitiflora.
sativa.

Malcomia africana.
chia.
maritima.

Malope trifida.

Malva Duriaei.
moschata.
oxyloba.
parviflora.

Malvastrum limense.

Matthiola bicornis.
sinuata var. glabra albiflora.

Meconopsis aculeata.
cambrica.
racemosa.
Wallichii.

Melica nutans.
papilionacea.

Melilotus alba.

Mentzelia Lindleyi.

Merendera caucasica.

Mimulus cardinalis.
Lewisii.
luteus.

Mirabilis Jalapa.
Wrightiana.

Molinia coerulea.

Moloposperm um cicutarium.

Monarda didyma.

Monolepis trifida.

Morina longifolia.

Muscari armeniacum.
compactum.
paradoxum.
parviflorum.
pulchellum.
Szovitzianum.

Myosuros minimus.

Nemesia strumosa.
versicolor.

Nepeta Mussini.
nuda.

Nertera depressa.

Nicotiana Langsdorffii.
paniculata.
rustica.

Ochthodium aegyptiacum.

Œnanthe pimpinelloides.
silaifolia.

Œnothera pumila.
tenella.
tenuifolia.
tetraptera.

Omphalodes linifolia.

Ononis alopecuroides.

Onopordon Acanthium.
arabicum.

Ornithopus sativus.

Ourisia macrophylla.

Paeonia anomala.
arietina.
Bakeri.
decora var. alba.
— var. Pallasii.
microcarpa.
paradoxa.
triternata.

Panicum bulbosum.
capillare.

Papaver alpinum.
apulum.
commutatum.
nudicaule.
orientale.
pavoninum.
rupifragum.
somniferum.

Peltaria alliacea.

Pentstemon acuminatus.
barbatus.
confertus.
glaber.
glaucus.
gracilis.
heterophyllus.
pubescens.
secundiflorus.
virgatus.

Phacelia congesta.
malvaefolia.
tanacetifolia.
viscida.

Phalaris brachystachys.
minor.
paradoxa.

Phleum arenarium.
asperum.

Phlomis Samia.
tuberosa.
umbrosa.

Phuopsis stylosa.

Physalis Alkekengi.
Bunyardi.
Francheti.

Physochlaina orientalis.

Physostegia virginiana.

Phyteuma canescens.
Michelii.
nigrum.
orbiculare.
Scheuchzeri.
spicatum.

Phytolacca acinosa.

Picradenia Earlei.

Plantago Candollei.
Coronopus.
maritima.
maxima.
ovata.
Psyllium.
tibetica.

Platycodon grandiflorum.
— var. Mariesii.

Platystemon californicus.

Poa violacea.

Podophyllum Emodi.

Polemonium mexicanum.
pauciflorum.

Polygonatum biflorum.
latifolium.
verticillatum.

Polygonum alpinum.
molle.
viviparum.

Polypogon littoralis.
monspeliensis.

Potentilla arguta.
argyrophylla.
crinita.
Detommasii.
fulgens.
glandulosa.
gracilis.
Herbichii.
mollis.
montenegrina.
Mooniana.
nepalensis.
recta.
rupestris.
tanacetifolia.
tridentata.
villosa.

Poterium alpinum.
canadense.

Pratia angulata.
begonifolia.

Primula denticulata.
frondosa.
japonica.
rosea.
verticillata.

Psoralea acaulis.
macrostachya.

Ramondia pyrenaica.
— var. alba.
serbica.

Ranunculus aconitifolius.
asiaticus.
brutius.
Chius.

Reseda virgata.

Rhagadiolus edulis.

Rheum Collinianum.
Rhaponticum.
Webbianum.

Rodgersia pinnata.

Roemeria hybrida.

Romulea speciosa.

Rudbeckia subtomentosa.

Rumex alpinus.
salicifolius.

Salsola Kali.

Salvia argentea.
Beckeri.
campanulata.
Columbariae.
Horminum.
japonica.
Przewalskii.
tiliaefolia.
verticillata.
virgata.
viridis.

Sambucus Ebulus.
— var. latifolius.

Sanicula europaea.

Saponaria Vaccaria.

Saussurea albescens.
Yakla.

Saxifraga cartilaginea.
cochlearis.
— var. minor.
Cotyledon.
Hostii.
lingulata.
— var. lantoscana.
Macnabiana.
mutata.
rotundifolia.
Sibthorpii.
sponhemica.
tenella.

Scabiosa caucasica.
dalmatica.
longifolia.
orientalis.
speciosa.
triniaefolia.
vestina.

Schizanthus pinnatus.

Scilla hispanica.
patula.
verna.

Scopolia sinensis.

Scorpiurus vermiculata.

Scrophularia alata.
vernalis.

Scutellaria altissima.
indica var. japonica.

Secale cereale.
dalmaticum.

Sedum altissimum.
heterodontum.
maximum.
oppositifolium.

Selinum serbicum.

Senecio Clivorum.
diversifolius.
Doria.
Doronicum.
elegans.
Ledebouri.
paludosus.
sibiricus.
stenocephalus.

Serratula coronata.
Gmelinii.

Setaria glauca.
italica.

Sidalcea candida.
Listeri.
malvaeflora.
neo-mexicana.
spicata.

Siegesbeckia orientalis.

Silene alpestris.
Armeria.
asterias.
clandestina.
colorata.
conoidea.
cretica.

Silene—*cont.*
echinata.
fimbriata.
Fortunei.
fuscata.
juvenalis.
laeta.
linicola.
longicilia.
melandrioides.
Muscipula.
noctiflora.
nocturna.
pendula.
quadrifida.
rubella.
sedoides.
Sendtneri.
squamigera.
tatarica.
tenuis.
Zawadskii.

Silphium trifoliatum.

Silybum eburneum.
Marianum.

Sisymbrium Sophia.
strictissimum.

Specularia falcata.
pentagonia.
Speculum.

Sporobolus cryptandrus.

Stachys Alopecuros.
grandiflora.

Steironema ciliatum.

Stipa Calamagrostis.
capillata.
elegans.
pennata.

Symphyandra Hofmanni.
Wanneri.

Symphytum asperrimum.

Synthyris reniformis.

Tellima grandiflora.

Thalictrum angustifolium.
aquilegifolium.
calabricum.

Thermopsis fabacea.
lanceolata.

Thlaspi perfoliatum.

Tricholepis furcata.

Tricyrtis latifolia.

Trifolium alpestre.
badium.
leucanthum.
lupinaster.
ochroleucum.
pannonicum.
rubens.
scabrum.

Trigonella caerulea.
corniculata.
cretica.
Foenum-graecum.
polycerata.

Trillium erectum.
grandiflorum.

Trollius sinensis.

Valeriana pyrenaica.
sambucifolia.

Valerianella Auricula.
coronata.
Dioscoridis.
echinata.
eriocarpa.
vesicaria.

Velezia rigida.

Veratrum californicum
nigrum.

Verbascum Blattaria.
— var. album.
Chaixii
longifolium.
phoeniceum.

Verbesina encelioides.

Veronica Bidwillii.
incana.
longifolia.
orchidea.
saxatilis.
spicata.
virginica.
— var. japonica.

Vicia bithynica.
narbonensis.
pisiformis.
unijuga.

Vincetoxicum fuscatum.

Viola rostrata.
sylvestris.

Xanthium macrocarpum.

Zygadenus bracteatus.
elegans.
muscitoxicus.

TREES AND SHRUBS.

Those marked with an asterisk were not grown at Kew.

Acanthopanax spinosum.

Alnus elliptica.
firma.
incana.
japonica.
nitida.
orientalis.
Spaethii
subcordata.
viridis.

Berberis acuminata
aetnensis.
angulosa.
aristata.
concinna.
Guimpelii
Leichtlinii.
parvifolia.
Thunbergi.
umbellata.
virescens.
vulgaris var. brachybotrys
Wallichiana
Wilsonae.

Betula fruticosa
humilis.
populifolia.
pumila.
ulmifolia.

Bruckenthalia spiculifolia

Buddleia albiflora.
variabilis.
— var. Veitchianus.

Caragana arborescens.
— var. Redowskii.
aurantiaca.

Carmichaelia australis.

Ceanothus integerrimus.
papillosus.
thyrsiflorus.
velutinus.

Celastrus articulatus.
flagellaris.
scandens.

Celtis occidentalis.

Cephalotaxus drupacea.
Fortuni.
pedunculata.

*Cistus creticus.
*crispus.
*florentinus.
laurifolius.
purpureus.
villosus.

Clematis aethusifolia var. latisecta.
campaniflora.
fusca.
globosa.
heraclaefolia.
Viticella.

Clethra alnifolia.

Colutea arborescens.
cilicica.
media.

Cornus alba.
Amomum.
candidissima.
macrophylla.
sanguinea.

Coronilla emeroides.

Cotoneaster acutifolia.
affinis.
applanata.
bacillaris.
bullata.
buxifolia.
Fontanesii.
frigida.
horizontalis.
humifusa.
integerrima.
microphylla var. glacialis.
multiflora var. granatensis.

Cotoneaster—*cont.*
pannosa.
rotundifolia.
Simonsii.
thymifolia.
tomentosa.

Crataegus Carrièrei.
coccinea.
cordata.
Crus-Galli.
*dilatata.
Dippeliana.
durobrivensis.
elliptica.
Heldreichii.
macracantha.
melanocarpa.
mexicana.
nigra.
punctata.
tanacetifolia.
tomentosa.

Cryptomeria japonica.

Cupressus Lawsoniana.
thyoides.

Cydonia Maulei.

Cytisus albus.
biflorus.
capitatus.
Heuffeli.
nigricans.
purgans.
purpureus.
sessilifolius.

Daboëcia polifolia.

Decaisnea Fargesii.

Deutzia corymbosa.
crenata.
Vilmoriniana.

Diervilla florida.
japonica.
sessilifolia.

Elaeagnus umbellata.

Eleutherococcus Henryi.

Erica arborea.
ciliaris.
scoparia.
stricta.

Escallonia pterocladon.

Euonymus latifolius.
oxyphyllus.
planipes.
yedoensis.

Exochorda Alberti.

Gaultheria procumbens.
Shallon.

Genista aethnensis.
cinerea.
germanica.
pilosa.
radiata.
sagittalis.
tinctoria.
virgata.

Helianthemum polifolium.

Hippophaë rhamnoides.

Hydrangea petiolaris.
radiata.
vestita.

Hypericum Androsaemum.
aureum.
elatum.
hircinum.
Hookerianum.
inodorum.
lysimachioides.
patulum.
— var. Henryi.
uralum.

Ilex opaca.
verticillata.

Indigofera Gerardiana.

Jasminum humile.

Juglans nigra.

Larix leptolepis.

Ledum palustre.

Leiophyllum buxifolium.

Leucothöe Catesbaei.

Leycesteria formosa.

Lonicera alpigena.
angustifolia.
caerulea.
deflexicalyx.
dioica.
involucrata.
Maackii.

Lonicera—*cont.*
nigra.
orientalis.
segreziensis.
Xylosteum.

Lupinus arboreus.

Lycium Grevilleanum.
pallidum.

Lyonia ligustrina.

Magnolia tripetala.

Myricaria germanica.

Neillia amurensis.
opulifolia.
Ramuleyi.

Olearia Haastii.

Ononis arragonensis.
fruticosa.

Pernettya mucronata.

Philadelphus acuminatus.
brachybotrys.
Gordonianus.
grandiflorus.
Lewisii.
— var. californicus.

Pieris japonica.

Potentilla davurica.
micrandra.

Ptelea trifoliata.

Pyrus Balansae.
canescens.
crataegifolia.
elaeagrifolia.
Hostii.
longipes.
nivalis.
prunifolia.
Ringo.
sikkimensis.
sinensis var. Simonii.

Rhamnus carniolica.
caroliniana.
cathartica.
crenata.
Erythroxylon.

Rhamnus—*cont.*
libanotica.
spathulifolia.
verniciflua.

Rhodotypus kerrioides.

Ribes divaricatum.
pallidum.
pubescens.
robustum.
Warszewiczii.

Rubus adenophorus.
flosculosus.
lasiostylus.
nigro-baccus.
occidentalis.
parvifolius.
phoenicolasius.
xanthocarpus.

Ruta graveolens.

Skimmia japonica.

Smilax rotundifolia.

Sophora viciifolia.

Spartium junceum.

Spiraea Aitchisoni.
arguta.
bracteata.
canescens.
Henryi.
nudiflora.

Staphylea colchica.
pinnata.
trifolia.

Symphoricarpus mollis var.
ciliatus.
racemosus.

Taxus cuspidata.

Thuya orientalis.

Viburnum cotinifolium.
dentatum.
molle.
rhytidophyllum.
Sargentii.
stellulatum.

Zenobia speciosa.